

NOTES: REF SPEC # CXWC13AXFM

CX-WC13AXFM EQUIPMENT PACKAGE:

	SPEC REF	
1	CX-33 Multi-Function Relay	2.2B-2A.1
2	CM-2520/4855SE1 "PUSH TO OPEN" AND "PUSH TO LOCK" COMBO SWITCH, WITH ENCLOSURE AND SIGN	2.2B-2A.2
3	CM-45/455SE1 - 4 1/2" ILLUMINATED PUSH PLATE WITH ENCLOSURE AND SIGN	2.2B-2A.3
4	CX-MDA - MAGNETIC DOOR CONTACT	2.2B-2A.4

ADDITIONAL PARTS REQUIRED BUT NOT INCLUDED WITH THE CX-WC13AXFM:

	SPEC REF	
5	DOOR OPERATOR - SUPPLIED BY OTHERS	2.2B-2B.1
6	CX-ED2079 - GRADE2 UNIVERSAL ELECTRIC STRIKE	2.2B-2B.2
7	CX-PS13 - 12/24 VDC LINEAR POWER SUPPLY	2.2B-2B.3
8	CX-TRX-4024 - 40VA, 24 VAC TRANSFORMER	2.2B-2B.3

SYSTEM OPERATION

CX-WC13AXFM OPERATION:


A. THE DOOR IS NORMALLY CLOSED AND UNLOCKED.

B. PRESSING THE EXTERIOR ' PUSH TO OPEN' AURA PUSH PLATE OPENS THE DOOR.

C. ONCE INSIDE AND THE DOOR IS CLOSED, PRESSING THE ILLUMINATED ' PUSH TO LOCK' AURA PUSH PLATE, CHANGES THE COLOR TO RED AND LOCKS THE DOOR. TO EXIT, PRESS THE INTERIOR PUSH PLATE TO UNLOCK THE DOOR AND RESET THE SYSTEM.

D. THE ' PUSH TO LOCK' AURA™ PUSH PLATE SWITCH ILLUMINATED RING TURNS GREEN AND THE EXTERIOR ' PUSH TO OPEN' AURA™ PUSH PLATE OUTER RING TURNS GREEN.

F. IF THE DOOR IS OPENED MANUALLY TO EXIT THE RESTROOM, THE OVERHEAD MAGNETIC CONTACT SWITCH RESETS THE SYSTEM.



		5502 Timberlea Blvd. Mississauga, ON Canada L4W 2T7 Tel: (905) 366-3377 www.camdencontrols.com	
NAME	DATE	TITLE:	
J.LEWIS	MAR-17	BARRIER FREE DOOR CONTROL NORMALLY UNSECURED (CX-WC13AXFM)	
DRAWN	CHECKED	SIZE DWG. NO.	REV
ENG APPR.		B	
MFG APPR.		CX-WC13AXFM.DWG	
GA.		SCALE: N/A	SHEET 1 OF 1
COMMENTS:			