


Electric Strikes

Product Line Overview

May 4, 2018




The New Industry Leader

- A wide selection, including strikes for cylindrical and mortise locksets, RIM (exit bar) devices and glass doors.
 - The highest quality design and manufacturing – backed by a no-hassle 5 year warranty
 - Full featured strikes, including horizontal faceplate adjustment, continuous duty and plug-in wire connectors
 - UL/ULC listed, including UL 1034 Burglary, UL 10C and ULC S104 Fire, and UL 294 Security
- 

The New Industry Leader

- 'Universal' Strike Models:
 - Both Fire and Security listings (not separate models)
 - Selectable 12/24V, AC/DC
 - Selectable Fail Safe/Fail Secure
 - Up to 5 faceplates Included
 - Continuous and Intermittent Duty
 - Left Hand/Right Hand Mounting
- Exclusive Camden Features:
 - Rim Strike with single solenoid (more reliable than two)
 - Rim Strike with $\frac{1}{2}$ " to $\frac{3}{4}$ " latch projection (no need to stock different models)
 - 'All in One' Fire Strike with 5 Faceplates (does more applications)



CX-ED2079/CX-ED2071



Cylindrical Locksets

CX-ED2079: Selectable 12/24V, AC/DC
(3) faceplates

CX-ED2079-1: Selectable 12/24V, AC/DC
(1) ANSI Square faceplate only

CX-ED2071: 8 - 16V AC/DC
(3) faceplates

- BHMA Grade 2 ANSI Strikes
- UL 1034 Burglary and UL 294 Security listed
- 1/2" to 5/8" latch projection
- Selectable fail safe/fail secure operation
- Horizontal adjustability of strike body
- 3 stainless steel faceplates included: ANSI square, hollow metal and wood door frame
- Low profile strike body
- Non handed
- 5 year warranty

CX-ED1079L/CX-ED1079DL



Cylindrical Locksets

CX-ED1079L: Low profile. 1/2" to 5/8" latch projection

CX-ED1079DL: Std. Depth. 5/8" to 3/4" latch projection

- BHMA Grade 1 ANSI Strike
- UL 1034 Burglary and UL 294 Security listed
- Selectable 12/24V, AC/DC
- Selectable fail safe/fail secure operation
- Latch monitoring included
- Horizontal adjustability of strike faceplate
- 3 stainless steel faceplates included: ANSI square, hollow metal and wood door frame
- Continuous duty operation
- Non-handed
- 5 year warranty

Cylindrical Locksets

CX-ED1410: Fire Rated Electric Strike



- BHMA Grade 1 ANSI Strike
- UL/ULC 90 minute fire rated and UL 1034 Burglary and UL 294 Security listed
- 5/8" to 3/4" latch projection
- Selectable 12/24V, AC/DC
- Selectable fail safe/fail secure (fire rating voided in fail safe mode)
- Continuous duty operation
- Non-handed
- 5 year warranty

Cylindrical and Mortise Locksets

CX-ED1579: 'All In One' Fire Rated Electric Strike



- BHMA Grade 1 ANSI Strike
- UL 10C/ULC 410 fire listed (3 Hr.), UL 1034 Burglary and UL 294 Security listed
- 5/8" to 3/4" latch projection
- 5 stainless steel faceplates included
- Selectable 12/24V, AC/DC
- Selectable fail safe/fail secure (fire rating voided in fail safe mode)
- Continuous duty operation
- Non-handed
- 5 year warranty



RIM Exit Device

CX-ED1259L: Fire RIM Electric Strike

- BHMA Grade 1 RIM strike
- UL 10C/ULC 410 fire listed (3 Hr.), UL 1034 Burglary and UL 294 Security listed
- 'No Cut' surface mounted
- Selectable 12/24V, AC/DC
- Selectable fail safe/fail secure operation (fire rating voided in fail safe mode)
- Latch monitoring included
- 1/2" to 3/4" latch projection
- Single solenoid operation provides superior strike reliability
- (2) spacer plates and horizontal adjustment insure proper latch entry in all applications
- Non-handed, plug-in wiring harness
- 5 Year Warranty

CX-EL095 Series



Glass Doors

CX-EL0955: 12 VDC, Fail Secure

CX-EL0958: 24 VDC, Fail Secure

CX-EU0955: 12 VDC, Fail Safe


CX-EU0958: 24 VDC, Fail Safe

- For single swing glass doors, ½" (12.7mm) thick
- 12 VDC and 24 VDC models
- Fail safe and fail secure models
- Non-handed
- Continuous duty operation
- 5 year warranty



Backed by the Best Customer Support

- A complete library of documents on the Camden web site (www.camdencontrols.com) including data sheets, manuals and high resolution images!
- Product cross reference guides and installation guides!
- Online Strike Selection Wizard removes the guess-work by suggesting the perfect strike for any application!
- Customer Service and Technical Support staff are ready for your call at 1 877 226-3369 or csr@camdencontrols.com!



Thank you

